

# Datasheet for ABIN1410057 anti-Homeobox C5 antibody (AA 151-222) (Cy3)



### Overview

Overview	
Quantity:	100 μL
Target:	Homeobox C5 (HOXC5)
Binding Specificity:	AA 151-222
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Homeobox C5 antibody is conjugated to Cy3
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc))
Product Details	

Immunogen:	KLH conjugated synthetic peptide derived from human HOXC5
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Cow,Sheep
Purification:	Purified by Protein A.

## Target Details

Target:	Homeobox C5 (HOXC5)
Alternative Name:	HOXC5 (HOXC5 Products)

#### **Target Details**

#### Background:

Synonyms: CP11, homeo box C5, homeobox C5, Homeobox protein CP11, homeobox protein Hox C5, Homeobox protein Hox-3D, Homeobox protein Hox-C5, Hox 3D, HOX3, HOX3D, HOXC5, HXC5\_HUMAN, OTTHUMP00000217386.

Background: The Hox homeobox genes encode proteins that are transcriptional regulators with an established role in embryonic development. HoxC5 is a 222 amino acid protein that localizes to the nucleus and contains one homeobox DNA-binding domain. Existing as multiple alternatively spliced isoforms, HoxC5 functions as a sequence-specific DNA-binding transcription factor that is part of a regulatory mechanism that provides cells with positional identities during development. The gene encoding HoxC5 maps to a cluster of Hox proteins on chromosome 12 that are essential for morphogenesis. Encoding over 1,100 genes within 132 million bases, chromosome 12 makes up about 4.5 % of the human genome. A number of skeletal deformities are linked to chromosome 12, including hypochondrogenesis, achondrogenesis and Kniest dysplasia.

#### **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months