

[Go to Product page](#)

Datasheet for ABIN1410226

anti-TAS2R50 antibody (AA 201-299) (Cy5)

Overview

| | |
|----------------------|--|
| Quantity: | 100 µL |
| Target: | TAS2R50 |
| Binding Specificity: | AA 201-299 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TAS2R50 antibody is conjugated to Cy5 |
| Application: | Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |

Product Details

| | |
|-----------------------|---|
| Immunogen: | KLH conjugated synthetic peptide derived from human Taste receptor type 2 member 50/TAS2R50 |
| Isotype: | IgG |
| Predicted Reactivity: | Human |
| Purification: | Purified by Protein A. |

Target Details

| | |
|-------------------|--|
| Target: | TAS2R50 |
| Alternative Name: | TAS2R50 (TAS2R50 Products) |

Target Details

| | |
|-------------|--|
| Background: | <p>Synonyms: T2R50, T2R50_HUMAN, T2R51, TAS2R50, Taste receptor type 2 member 50, Taste receptor type 2 member 51.</p> <p>Background: The sense of taste is essential for the survival of organisms. For example, the ability to identify sweet-tasting foods enables animals to seek out food with high nutritive value, whereas the ability to identify bitter substances enables them to avoid the ingestion of potentially harmful substances. A family of integral membrane proteins are involved in taste perception and include T1R, which is involved in sweet taste perception and T2R, which is involved in bitter taste perception. Both types of taste receptors couple to various G proteins to initiate signal transduction cascades. Specifically, T2R50 is expressed in subsets of taste receptor cells of the tongue and exclusively in gustducin-positive cells.</p> |
| Gene ID: | 259296 |
| UniProt: | P59544 |

Application Details

| | |
|--------------------|--|
| Application Notes: | IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 |
| Restrictions: | For Research Use only |

Handling

| | |
|--------------------|--|
| Format: | Liquid |
| Concentration: | 1 µg/µL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |