Datasheet for ABIN1411650 anti-KALRN antibody (AA 1401-1500) (Cy7)

-online.com antibodies



Overview

Quantity:	100 μL	
Target:	KALRN	
Binding Specificity:	AA 1401-1500	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This KALRN antibody is conjugated to Cy7	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human KALRN/Duo
Isotype:	lgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Pig,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	KALRN
Alternative Name:	KALRN/Duo (KALRN Products)
Background:	Synonyms: Duo, FLJ16443, HAPIP, Huntingtin associated protein interacting protein duo ,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN1411650 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	Huntingtin-associated protein-interacting protein, Kalirin isoform 2, Kalirin, KALRN ,
	KALRN_HUMAN, Protein Duo, RhoGEF kinase, Serine/threonine kinase with Dbl and pleckstrin
	homology domains , Serine/threonine-protein kinase with Dbl- and pleckstrin homology domain
	TRAD.
	Background: HAP1 (huntingtin-associated protein 1) binds to huntingtin (1). Huntingtin is a
	protein that contains a polyglutamine region and when the number of glutamine repeats
	exceeds 35, the gene encodes a version of huntingtin that leads to Huntington?s disease (HD)
	(2,3). The ability of HAP1 to bind to huntingtin is enhanced by an expanded polyglutamine
	repeat region (1). HAP1 shows neuronal localization and moves with huntingtin in nerve fibers
	(4,5). HAP1 is primarily expressed in brain tissue, with greater expression in the olfactory bulb
	and brain stem (1). Mouse HAP1 is localized to membrane-bound organelles including large
	endosomes, tubulovesicular structures and budding vesicles in neurons (6). Duo, also
	designated huntingtin-associated protein interacting protein or HAPIP, binds Huntingtin-
	associated protein 1 (HAP1) and may have a role in vesicle trafficking and cytoskeletal function
Pathways:	Neurotrophin Signaling Pathway
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN1411650 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

1.1	(1:
Н	land	ling
		3

Expiry Date:

12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN1411650 | 03/07/2024 | Copyright antibodies-online. All rights reserved.