



[Go to Product page](#)

Datasheet for ABIN1412261

## anti-SPOCK2/Testican 2 antibody (AA 61-160) (Cy5.5)

### Overview

Quantity:	100 µL
Target:	SPOCK2/Testican 2 (SPOCK2)
Binding Specificity:	AA 61-160
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SPOCK2/Testican 2 antibody is conjugated to Cy5.5
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human SPOCK2/Testican 2
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

### Target Details

Target:	SPOCK2/Testican 2 (SPOCK2)
Alternative Name:	SPOCK2/Testican 2 ( <a href="#">SPOCK2 Products</a> )

## Target Details

---

Background: Synonyms: testican-2, SPARC/osteonectin, CWCV, and Kazal-like domains proteoglycan 2, SPOCK2, KIAA0275, TICN2, UNQ269/PRO306  
Background: May participate in diverse steps of neurogenesis. Binds calcium.

Gene ID: 9806

UniProt: [Q92563](#)

Pathways: [Glycosaminoglycan Metabolic Process](#)

## Application Details

---

Application Notes: IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months