

## Datasheet for ABIN1412283

## anti-SIX3 antibody (AA 151-250) (Cy3)



_						
	1//	Д	rv	16	٦/	٨
U	W	$\vdash$	ΙV	Ιt	٦,	/V

Overview		
Quantity:	100 μL	
Target:	SIX3	
Binding Specificity:	AA 151-250	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SIX3 antibody is conjugated to Cy3	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human Six3	
Isotype:	IgG	
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Rabbit	
Purification:	Purified by Protein A.	
Target Details		
Target:	SIX3	
Alternative Name:	Six3 (SIX3 Products)	
Background:	Synonyms: Homeobox protein SIX3, HPE2, Sine oculis homeobox homolog 3, SIX homeobox 3,	

Six3, SIX3\_HUMAN.

Background: The Six proteins (sine oculis) are a family of homeodomain transcription factors that share a conserved DNA binding domain. Six3 is required for the specification and proliferation of the eye field in vertebrates and may be involved in some developmental disorders of the brain. Expression of Six3 is detected in human embryos as early as five to seven weeks of gestation, and is maintained in the eye throughout the entire period of fetal development. At 20 weeks of gestation, expression of Six3 in the human retina has been observed in ganglion cells and in cells of the inner nuclear layer. Six3 maps to human chromosome 2p16-p21, between genetic markers D2S119 and D2S288. The map position of human Six3 overlaps the positions of two dominant disorders (holoprosencephaly type 2 and Malattia leventinese) with ocular phenotypes that have been assigned to this chromosomal region.

Pathways:

Protein targeting to Nucleus

## **Application Details**

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months