

Datasheet for ABIN1412678

anti-Paralemmin antibody (AA 130-230) (HRP)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	Paralemmin (PALM)
Binding Specificity:	AA 130-230
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Paralemmin antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Paralemmin 1
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep,Pig
Purification:	Purified by Protein A.

Target Details

Target:	Paralemmin (PALM)
Alternative Name:	Paralemmin 1 (PALM Products)

Target Details

Background:	Synonyms: KIAA0270, PALM, PALM_HUMAN, Paralemmin, Paralemmin1,Paralemmin-1. Background: Paralemmin, also called Paralemmin-1 or PALM, is a widely expressed peripheral membrane protein that is involved in cell structure and shape. A hydrophobic protein, Paralemmin is anchored to the cytoplasmic side of the cell membrane via di-palmitoylation and prenylation of its C-terminal cysteine cluster. Functioning at the synapse to regulate neuronal plasticity and plasma membrane dynamics, Paralemmin can bind to the dopamine receptor D3, thereby reducing D3 expression and subsequent adenylate cyclase activity. Overexpression of Paralemmin induces fibroblasts to extend long filopodia and to assume extreme cell shapes, suggesting involvement in the formation and stabilization of the plasma membrane. Two isoforms of Paralemmin exists due to alternative splicing events.
Pathways:	cAMP Metabolic Process , Regulation of G-Protein Coupled Receptor Protein Signaling

Application Details

Application Notes:	WB 1:300-5000 IHC-P 1:200-400 IHC-F 1:100-500
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months