

Datasheet for ABIN1412756 anti-HTR2A antibody (AA 51-150) (HRP)



_				
()	ve.	rv/	101	Λ

Immunogen:	KLH conjugated synthetic peptide derived from human 5HT2A Receptor	
Product Details		
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Conjugate:	This HTR2A antibody is conjugated to HRP	
Clonality:	Polyclonal	
Host:	Rabbit	
Reactivity:	Human, Mouse, Rat	
Binding Specificity:	AA 51-150	
Target:	HTR2A	
Quantity:	100 μL	
Overview		

Immunogen:	KLH conjugated synthetic peptide derived from human 5HT2A Receptor
Isotype:	lgG
Cross-Reactivity:	Human, Mouse, Rat
Predicted Reactivity:	Dog,Cow,Sheep,Pig,Horse
Purification:	Purified by Protein A.

Target Details

Target:	HTR2A
Alternative Name:	5HT2A Receptor (HTR2A Products)

Target Details

Background:	Synonyms: SR-2A, 5 HT 2, 5 HT 2A, 5 HT2 receptor, 5 HT2A, 5 hydroxytryptamine receptor 2A,	
	5-HT-2, 5-HT-2A, 5-hydroxytryptamine 2A receptor, 5-hydroxytryptamine receptor 2A,	
	5HT2A_HUMAN, HTR 2, HTR 2A, HTR2, HTR2A, Serotonin receptor 2A.	
	Background: This is one of the several different receptors for 5-hydroxytryptamine (serotonin), a	
	biogenic hormone that functions as a neurotransmitter, a hormone, and a mitogen. This	
	receptor mediates its action by association with G proteins that activate a phosphatidylinositol-	
	calcium second messenger system. This receptor is involved in tracheal smooth muscle	
	contraction, bronchoconstriction, and control of aldosterone production.	
Gene ID:	3356	
UniProt:	P28223	
Pathways:	JAK-STAT Signaling, Inositol Metabolic Process, Regulation of Carbohydrate Metabolic Process	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish	
	peroxidase.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
Expiry Date:	12 months	