

Datasheet for ABIN1413048

anti-MPDZ antibody (AA 388-480) (Cy7)



Overview

Quantity:	100 μL
Target:	MPDZ
Binding Specificity:	AA 388-480
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MPDZ antibody is conjugated to Cy7
Application:	Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human MUPP1/MPDZ
Isotype:	IgG
Isotype: Cross-Reactivity:	IgG Human
Cross-Reactivity:	Human
Cross-Reactivity: Predicted Reactivity:	Human Mouse,Rat,Dog,Cow,Sheep,Horse,Rabbit
Cross-Reactivity: Predicted Reactivity: Purification:	Human Mouse,Rat,Dog,Cow,Sheep,Horse,Rabbit

Target Details

rarget Details	
Background:	Synonyms: MPDZ, Multi PDZ domain protein 1, Multi-PDZ domain protein 1, multiple PDZ
	domain protein, MPDZ_HUMAN.
	Background: MPDZ is a 2,042 amino acid peripheral membrane protein that colocalizes with
	SR-2C on the apical membrane of epithelial choroid plexus cells. Expressed in heart, brain,
	placenta, liver, skeletal muscle, kidney and pancreas, MPDZ causes clustering of SR-2C, a
	serotonin receptor, at the cell surface. MPDZ is member of the NMDAR signaling complex that
	is involved in regulating AMPAR potentiation and synaptic plasticity in excitatory synapses. As a
	tight junction protein in epithelial cells, MPDZ interacts with SSTR3, a G-protein-coupled
	receptor, to regulate transepithelial permeability in a pertussis toxin sensitive manner. MPDZ,
	along with Kir4.2, may form a complex with other proteins in the nephron and regulate ion

transport. MPDZ contains one L27 domain and thirteen PDZ domains.

Pathways:

Synaptic Membrane, Phototransduction

Application Details

Application Notes: FCM 1:20-100

IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months