

Datasheet for ABIN1413274

anti-DLGAP1 antibody (AA 241-360) (Cy5)



Go to Product page

_					
	W	0	rv	10	W

Background:

Quantity:	100 μL
Target:	DLGAP1
Binding Specificity:	AA 241-360
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DLGAP1 antibody is conjugated to Cy5
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded
	Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human SAPAP1/DLGAP1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Purification:	Purified by Protein A.
T	
Target Details	
Target:	DLGAP1
Alternative Name:	SAPAP1/DLGAP1 (DLGAP1 Products)
	On the type of the total control of the type of type of the type of type of the type of ty

Synonyms: PSD95 binding protein 1, DAP 1 ALPHA, DAP 1, DAP 1 BETA, DAP-1, DAP-1-ALPHA,

DAP-1-BETA, DAP1, Discs large Drosophila homolog associated protein 1, Discs large homolog associated protein 1, Disks large associated protein 1, Disks large associated protein 1, alpha isoform, included, Disks large associated protein 1, beta isoform, included, Disks large-associated protein 1, DLGAP 1, Dlgap1, DLGP1_HUMAN, GKAP, GKAP/SAPAP, GKPA/SAPAP, Guanylate kinase associated protein, Guanylate kinase-associated protein, hGKAP, KIAA4162, MGC88156, mKIAA4162, PSD 95/SAP90 binding protein 1, PSD-95/SAP90-binding protein 1, SAP90/PSD 95 associated protein 1, SAPAP 1, SAPAP1. Background: Members of the postsynaptic density-95 (PSD-95)/SAP90 family of membrane-associated guanylate kinase (MAGUK) proteins function as multimodular scaffolds that organize protein-signaling complexes at neuronal synapses. PSD-95/SAP90 binds guanylate kinase-associated protein (GKAP), also designated GK domain-binding protein, DAP-1-a, DAP-1-b, PSD-95 binding protein, PSD-95/SAP90 associated protein, or SAPAP, through the guanylate kinase domain. GKAP is expressed widely in neurons of the cortex and hippocampus and in the Purkinje and granule cells of the cerebellum. GKAP is localized specifically in the PSD of glutamatergic synapses, consistent with its direct interaction with PSD-95 family proteins.

Application Details

Application Notes:

Preservative:

Storage:

Precaution of Use:

Storage Comment:

Application (Votes.	11 (1101) 1.00 200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		

IF(IHC-P) 1:50-200

ProClin

-20 °C

handled by trained staff only.

Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

ш	Jand	lina
г	land	1111()
•	10110	9

Expiry Date:

12 months