Datasheet for ABIN1413867 anti-ZNF750 antibody (AA 1-100) (Cy3)

antibodies .-online.com



\sim		
()\/	≏rvi	iew
\cup		

Quantity:	100 µL
Target:	ZNF750
Binding Specificity:	AA 1-100
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF750 antibody is conjugated to Cy3
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ZNF750
lsotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	ZNF750
Alternative Name:	ZNF750 (ZNF750 Products)
Background:	Synonyms: Protein ZNF750, ZFP750, Zinc finger protein 750, ZN750_HUMAN, ZNF750.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1413867 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	Background: Zinc finger proteins contain DNA-binding domains and have a wide variety of
	functions, most of which encompass some form of transcriptional activation or repression. The
	majority of zinc finger proteins contain a Kr_ppel-type DNA binding domain and a KRAB domain,
	which is thought to interact with KAP1, thereby recruiting histone modifying proteins. Zinc
	finger protein 750 is a 723 amino acid member of the Kr_ppel C2H2-type zinc finger protein
	family. Localized to the nucleus, ZNF750 contains one conserved C2H2 zinc finger domain and
	is expressed in the skin, lungs, prostate, placenta and thymus. ZNF750 is also expressed in
	primary human keratinocytes but not in fibroblasts. Mutations in the gene encoding ZNF750
	cause Seborrhea-like dermatitis with psoriasiform, a condition characterized by a chronic and
	diffuse rash on the face and hyperkeratosis of skin over the elbows, soles, knees and palms.
Gene ID:	79755
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN1413867 | 03/07/2024 | Copyright antibodies-online. All rights reserved.