

Datasheet for ABIN1416022

anti-DHRS4 antibody (AA 161-278) (HRP)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	DHRS4
Binding Specificity:	AA 161-278
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DHRS4 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DHRS4
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat
Purification:	Purified by Protein A.

Target Details

Target:	DHRS4
Alternative Name:	DHRS4 (DHRS4 Products)
Background:	Synonyms: NDRD, RRD, AI043103, AI790593, Carbonyl reductase, CR, D14Ucla2,

Target Details

Dehydrogenase/reductase SDR family member 4, Dhrrs4, DHRS4_HUMAN, humNRDR antibody
NADPH dependent carbonyl reductase/NADP retinol dehydrogenase, NADPH dependent retinol dehydrogenase/reductase, NADPH-dependent carbonyl reductase/NADP-retinol dehydrogenase, NADPH-dependent retinol dehydrogenase/reductase, NRDR, Peroxisomal short chain alcohol dehydrogenase, Peroxisomal short-chain alcohol dehydrogenase, PHCR, PRO1800, PSCD, SCAD-SRL, SCADSRL, Short chain dehydrogenase/reductase family member 4, Short-chain dehydrogenase/reductase family member 4, UNQ851.

Background: Reduces all-trans-retinal and 9-cis retinal. Can also catalyze the oxidation of all-trans-retinol with NADP as co-factor, but with much lower efficiency. Reduces alkyl phenyl ketones and alpha-dicarbonyl compounds with aromatic rings, such as pyrimidine-4-aldehyde, 3-benzoylpyridine, 4-benzoylpyridine, menadione and 4-hexanoylpyridine. Has no activity towards aliphatic aldehydes and ketones. Tissue specificity: Isoform 1 is predominantly expressed in normal cervix (at protein level). Isoform 4 is expressed in some neoplastic cervical tissues, but not in normal cervix (at protein level). Isoform 5 and isoform 6 are expressed in a few neoplastic cervical tissues.

Gene ID: 10901

Application Details

Application Notes: WB 1:300-5000

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Handling Advice: Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.

Storage: -20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months