

Datasheet for ABIN1416088

Background:

anti-DYDC1 antibody (AA 101-177) (HRP)



Go to Product page

Overview		
Quantity:	100 μL	
Target:	DYDC1	
Binding Specificity:	AA 101-177	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This DYDC1 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human DYDC1	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	
Target Details		
Target:	DYDC1	
Alternative Name:	DYDC1 (DYDC1 Products)	

Synonyms: DPY30 domain-containing protein 1, DPY30D1, DYDC1, DYDC1_HUMAN, RSD 9,

RSD9.

Background: The Dumpy-30 (DPY-30) protein was first described in C. elegans, in which it is involved in dosage compensation of sex chromosomes. Conserved from yeast to humans, the DPY-30 family is involved in gene expression and chromatin modification, specifically histone methylation. DPY-30 and closely related proteins contain a short motif that is related to the dimerization motif in the regulatory subunit of protein kinase A (PKA), which consists of two ?helices that form a four-helix bundle during dimerization. As a member of the DPY-30 family, DYDC1 (DPY30 domain-containing protein 1), also known as DPY30D1 and RSD9, is a 177 amino acid protein that binds to Endophilin III and plays a crucial role during acrosome biogenesis. DYDC1 is specifically expressed in brain and testis and accumulates in the acrosome area during spermatogenesis. Knockdown of DYDC1 mRNA results in disruption of acrosome formation and spermatid differentiation.

Gene ID:

143241

Application Details

Application Notes:

WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions:

For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

	1	l:
-	ココロロ	urnen
	Hand	III IU

Expiry Date:

12 months