

Datasheet for ABIN1416382

anti-PANK3 antibody (AA 271-370) (HRP)



Overview

Quantity:	100 μL
Target:	PANK3
Binding Specificity:	AA 271-370
Reactivity:	Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PANK3 antibody is conjugated to HRP
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human PANK3
Isotype:	IgG
Cross-Reactivity:	Rat
Predicted Reactivity:	Human,Mouse,Dog,Cow,Sheep,Pig,Horse,Chicken
Purification:	Purified by Protein A.

Target Details

Target:	PANK3
Alternative Name:	PANK3 (PANK3 Products)

Target Details

0 I-DI/O MOO16060 OTTIIIMAD00000160061 D. I O DANII/O IIIMAANI
Synonyms: hPanK3, MGC16863, OTTHUMP00000160961, Pank3, PANK3_HUMAN,
Pantothenate kinase 3, pantothenic acid kinase, Pantothenic acid kinase 3.
Background: The pantothenate kinase (PANK) family of proteins catalyzes the first step in
coenzyme A (CoA) biosynthesis. Coenzyme A is an important coenzyme involved in the
synthesis and oxidation of fatty acids, as well as the oxidation of pyruvate in the citric acid
(Krebs) cycle. Pantothenate kinase 3 (PANK3) is a 370 amino acid member of the pantothenate
kinase family that plays a role in the physiological regulation of the intracellular CoA
concentration. Localized to the cytoplasm, PANK3 is regulated by feedback inhibition by CoA
and its thioesters. PANK3 transfers a phosphate from ATP to pantothenate (Vitamin B5),
resulting in formation of 4?-phosphopantothenate. Closely related to its family members,
PANK1, PANK2 and PANK4, PANK3 is highly expressed in liver. Pantothenate kinase associated
neurodegeneration (PKAN) results from mutations in the gene encoding PANK2, the only
mitochondria targeted human PANK.
79646
Ribonucleoside Biosynthetic Process
WB 1:300-5000
IHC-P 1:200-400
IHC-F 1:100-500
For Research Use only
Liquid
1 μg/μL
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
ProClin
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
handled by trained staff only.

Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months