

Datasheet for ABIN1417084 anti-CENPK antibody (AA 51-150) (HRP)



Go to Product page

Overview		
Quantity:	100 μL	
Target:	CENPK	
Binding Specificity:	AA 51-150	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CENPK antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human FKSG14/Centromere protein K	
Isotype:	IgG	
Predicted Reactivity:	Human,Mouse,Rat,Cow,Sheep,Pig,Horse	
Purification:	Purified by Protein A.	
Target Details		
Target:	CENPK	
Alternative Name:		
Atternative Name.	Centromere protein K (CENPK Products)	

CENPK, Centromere protein K, Centromeric protein K, FKSG 14, ICEN 37, ICEN37, Interphase centromere complex protein 37, Leucine zipper protein FKSG14, OTTHUMP00000161888, P33, Protein AF 5alpha, Protein AF5alpha, Solt, Solt, SoxLZ/Sox6 binding protein Solt, SoxLZ/Sox6 leucine zipper binding protein, CENPK_HUMAN.

Background: FKSG14, also known as CENPK (centromere protein K) is a component of the

CENPA-CAD (nucleosome distal) complex. It may be involved in incorporation of CENPA into centromeres and is required for proper kinetochore function, mitotic progression and chromosome segregation. May be involved in incorporation of newly synthesized CENPA into centromeres via its interaction with the CENPA-NAC complex. Acts in coordination with CASC5/KNL1 to recruit the NDC80 complex to the outer kinetochore. FKSG14 constitutively localized to centromeres throughout the cell cycle. There are 3 isoforms produced by alternative splicing.

Gene ID:

64105

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

	_	
-	II	1:
-	-222	una
-	Hand	1111()

Expiry Date:

12 months