

Datasheet for ABIN1417186

anti-FBXL21 antibody (AA 121-220) (HRP)



()	110	K\ /		1 A
()	ve	I \/	╙	W
\sim	v _		\sim	v v

Quantity:	100 μL	
Target:	FBXL21	
Binding Specificity:	AA 121-220	
Reactivity:	Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This FBXL21 antibody is conjugated to HRP	
Application:	ELISA, Western Blotting (WB), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
Product Details		

Immunogen:	KLH conjugated synthetic peptide derived from human FBXL21/FBL3B	
Isotype:	IgG	
Cross-Reactivity:	Mouse	
Predicted Reactivity:	Human,Rat,Dog,Cow,Sheep	
Purification:	Purified by Protein A.	

Target Details

Target:	FBXL21
Alternative Name:	FBXL21 (FBXL21 Products)

Target Details

Background:

Synonyms: F box and leucine rich repeat protein 21, F box and leucine rich repeat protein 3 pseudogene, F box and leucine rich repeat protein 3B, F box protein Fbl3b, F box/LRR repeat protein 21, F box/LRR repeat protein 3B, Fbl 21, FBXL 21, FBXL-21, FBL 3, FBL 3B, Fbl21, FBL3, FBL-3B, FBL 3B, FBL3B, FBXL 21, FBXL 3B, FBXL3P, MGC120237, FXL21_HUMAN.

Background: FBL3B is a 434 amino acid protein encoded by the human gene FBXL21. FBL3B contains one 40 amino acid F-box region, making it a member of the F-box family. FBL3B also contains three LRR (leucine-rich) repeats. F-box proteins are critical components of the SCF (Skp1-CUL-1-F-box protein) type E3 ubiquitin ligase complex and are involved in substrate recognition and recruitment for ubiquitination. F-box proteins are members of a large family that regulates cell cycle, immune response, signaling cascades and developmental programs by targeting proteins, such as cyclins, cyclin-dependent kinase inhibitors, IkB-a and b-catenin, for degradation by the proteasome after ubiquitination. FBL3B is a substrate-recognition component of the SCF complex that interacts with Skp1 p19 and CUL-1. FBL3B is also associated with expression and regulation of circadian and cryptochrome proteins.

Gene ID:

26223

Pathways:

Photoperiodism

Application Details

Application Notes:

WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions:

For Research Use only

Handling

Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.	

Handling

Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months