# antibodies -online.com





## anti-MMS19 antibody (AA 851-950) (Cy5)



Go to Product page

$\sim$			
	N/P	r\/	i⊢₩

Quantity:	100 μL
Target:	MMS19
Binding Specificity:	AA 851-950
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MMS19 antibody is conjugated to Cy5
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human MMS 19
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Predicted Reactivity:	Rat,Dog,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

### Target Details

Target:	MMS19
Alternative Name:	MMS19 (MMS19 Products)

### Target Details

Background:	Synonyms: MET18, MMS19L, hMMS19, MMS19 nucleotide excision repair protein homolog,		
	MET18 homolog, MMS19-like protein, MMS19		
	Background: Key component of the cytosolic iron-sulfur protein assembly (CIA) complex, a		
	multiprotein complex that mediates the incorporation of iron-sulfur cluster into apoproteins		
	specifically involved in DNA metabolism and genomic integrity. In the CIA complex, MMS19		
	acts as an adapter between early-acting CIA components and a subset of cellular target iron-		
	sulfur proteins such as ERCC2/XPD, FANCJ and RTEL1, thereby playing a key role in nucleotide		
	excision repair (NER) and RNA polymerase II (POL II) transcription. As part of the mitotic		
	spindle-associated MMXD complex, plays a role in chromosome segregation, probably by		
	facilitating iron-sulfur cluster assembly into ERCC2/XPD. Indirectly acts as a transcriptional		
	coactivator of estrogen receptor (ER), via its role in iron-sulfur insertion into some component		
	of the TFIIH-machinery.		
Gene ID:	64210		
UniProt:	Q96T76		
Pathways:	Nuclear Hormone Receptor Binding		
Application Details			
Application Notes:	IF(IHC-P) 1:50-200		
	IF(IHC-F) 1:50-200		
	IF(ICC) 1:50-200		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	1 μg/μL		
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and		
	50 % Glycerol.		
Preservative:	ProClin		
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be		
	handled by trained staff only.		
Storage:	-20 °C		

## Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months