antibodies -online.com





Go to Product page

Datasheet for ABIN1420326

anti-DCAF12 antibody (Cy5)

Overview

Quantity:	100 μL
Target:	DCAF12
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DCAF12 antibody is conjugated to Cy5
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human DCAF12/WDR40A
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

- Target Betane	
Target:	DCAF12
Alternative Name:	DCAF12 (DCAF12 Products)
Background:	Synonyms: cancer/testis antigen 102, Centrosome-related protein TCC52, CT102, DCA12_HUMAN, DCAF12, DDB1- and CUL4-associated factor 12, TCC52, Testis cancer centrosome-related protein, WD repeat domain 40A, WD repeat-containing protein 40A, WDR40A.

Background: WD-repeats are motifs that are found in a variety of proteins and are characterized by a conserved core of 40-60 amino acids that commonly form a tertiary propeller structure. While proteins that contain WD-repeats participate in a wide range of cellular functions, they are generally involved in regulatory mechanisms concerning chromatin assembly, cell cycle control, signal transduction, RNA processing, apoptosis and vesicular trafficking. WDR40A (WD-repeat-containing protein 40A), also known as DDB1- CUL4-associated factor 12, is a 453 amino acid cytoplasmic protein that contains four WD-repeats. WDR40A is highly expressed in some cancer cell lines, lung cancer tissues and normal testis. A probable substrate receptor for CUL4-DDB1 E3 ubiquitin-protein ligase complex, WRD40A is suggested to interact with DDB1. WDR40A is encoded by a gene mapping to human chromosome 9p13.3. Human chromosome 9 houses over 900 genes and comprises nearly 4 % of the human genome.

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months