.-online.com antibodies

Datasheet for ABIN1422110 anti-NHEDC2 antibody (Cy7)



| Overview |
|----------|
|----------|

| Quantity: | 100 μL |
|-------------------|---|
| Target: | NHEDC2 |
| Reactivity: | Human, Mouse, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This NHEDC2 antibody is conjugated to Cy7 |
| Application: | Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)) |
| Product Details | |
| Immunogen: | KLH conjugated synthetic peptide derived from human NHEDC2 |
| Isotype: | lgG |
| Cross-Reactivity: | Human, Mouse, Rat |
| Purification: | Purified by Protein A. |
| Target Details | |
| Target: | NHEDC2 |
| Alternative Name: | NHEDC2 (NHEDC2 Products) |
| Background: | Synonyms: NHA2, Mitochondrial Na+/H+ exchanger NHA2, Mitochondrial sodium/hydrogen |
| | exchanger NHA2, Na+/H+ exchanger like domain containing protein 2, Na+/H+ exchanger |
| | domain containing 2, NHE domain containing protein 2, NHE10, NHEDC 2, Sodium/hydrogen |
| | exchanger like domain containing protein 2, SL9B2_HUMAN. |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1422110 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

| | Background: Na+/H+ exchangers (NHEs) catalyze the transport of Na+ in exchange for H+ |
|---------------------|--|
| | across membranes in organisms and are required for numerous physiological processes. |
| | NHEDC2 (Na+/H+ exchanger-like domain-containing protein 2), also known as NHA2, is a 537 |
| | amino acid mitochondrial protein. NHEDC2 is involved in organelle volume homeostasis by |
| | catalyzing the exchange of protons for Na+ and Li+ across the inner mitochondrial membrane. |
| | Found in red blood cells, NHEDC2 is required for bone resorption activity and osteoclast |
| | differentiation. As a multi-pass membrane protein, NHEDC2 is expressed as two isoforms |
| | produced by alternative splicing events. |
| Gene ID: | 133308 |
| Pathways: | Proton Transport |
| Application Details | |
| Application Notes: | IF(IHC-P) 1:50-200 |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. |
| Expiry Date: | 12 months |