antibodies .- online.com





anti-CLEC14A antibody (AA 260-310) (HRP)



()	۱ ۱	\cap	r	/1	\cap	۱ ۸	1
0	'V	ㄷ	ı١	νı	ㄷ	٧	۷

Background:

Overview	
Quantity:	100 μL
Target:	CLEC14A
Binding Specificity:	AA 260-310
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CLEC14A antibody is conjugated to HRP
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Product Details Immunogen:	KLH conjugated synthetic peptide derived from human EGFR5/CLEC14A
	KLH conjugated synthetic peptide derived from human EGFR5/CLEC14A
Immunogen:	
Immunogen: Isotype:	IgG
Immunogen: Isotype: Cross-Reactivity:	IgG Human, Mouse, Rat
Immunogen: Isotype: Cross-Reactivity: Purification:	IgG Human, Mouse, Rat

growth factor receptor 5, CLEC14A, EGFR5, UNQ236/PRO269

Synonyms: CEG1, EGFR-5, C14orf27, C-type lectin domain family 14 member A, Epidermal

Background: This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. Members of this family share a common protein fold and have diverse functions, such as cell adhesion, cell-cell signalling, glycoprotein turnover, and roles in inflammation and immune response. This family member plays a role in cell-cell adhesion and angiogenesis. It functions in filopodia formation, cell migration and tube formation. Due to its presence at higher levels in tumor endothelium than in normal tissue endothelium, it is considered to be a candidate for tumor vascular targeting.

Gene ID:

161198

UniProt:

Q86T13

Application Details

Application Notes: WB 1:300-5000

Restrictions:

For Research Use only

IHC-P 1:200-400

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months