

Datasheet for ABIN1422718

anti-C2orf57 antibody (HRP)



\sim				
	1//	Д	rv	۱۸/

Overview		
Quantity:	100 μL	
Target:	C2orf57	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This C2orf57 antibody is conjugated to HRP	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human C2orf57	
Isotype:	IgG	
Cross-Reactivity:	Human	
Purification:	Purified by Protein A.	
Target Details		
Target:	C2orf57	
Alternative Name:	C2orf57 (C2orf57 Products)	
Background:	Synonyms: Chromosome 2 open reading frame 57, Hypothetical protein LOC165100,	
	MGC35154, Uncharacterized protein C2orf57, CB057_HUMAN.	
	Background: C2orf57, also known as MGC35154, is a 395 amino acid protein encoded by a	
	gene that maps to human chromosome 2q37.1. As the second largest human chromosome,	
	5-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	

chromosome 2 makes up approximately 8 % of the human genome and contains 237 million bases encoding over 1,400 genes. A number of genetic diseases are linked to genes on chromosome 2. Harlequin icthyosis, a rare skin deformity, is associated with mutations in the ABCA12 gene. The lipid metabolic disorder sitosterolemia is associated with ABCG5 and ABCG8. An extremely rare recessive genetic disorder, Alstr syndrome, is related to mutations in the ALMS1 gene. Chromosome 2 contains a probable vestigial second centromere as well as vestigial telomeres, which gives credence to the hypothesis that human chromosome 2 formed as a result of an ancient fusion of two ancestral chromosomes, which are still present in modern day apes.

Gene ID:

165100

For Research Use only

Application Details

Application Notes:	WB 1:300-5000
	IHC-P 1:200-400

Handling

Restrictions:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Handling Advice:	Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish peroxidase.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months