.-online.com antibodies

## Datasheet for ABIN1422932 anti-HCN3 antibody (Cy7)



Overview		
Quantity:	100 µL	
Target:	HCN3	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HCN3 antibody is conjugated to Cy7	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human HCN3	
lsotype:	lgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

## Target Details

Target:	HCN3
Alternative Name:	HCN3 (HCN3 Products)
Background:	Synonyms: Hcn3, HCN3_HUMAN, hyperpolarization activated cyclic nucleotide-gated potassium channel 3, KIAA1535, potassium/sodium hyperpolarization-activated cyclic
	nucleotide-gated channel 3.
	Background: Hyperpolarization-activated, cyclic nucleotide-binding channels (HCN) are voltage-

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1422932 | 03/07/2024 | Copyright antibodies-online. All rights reserved.

	gated cation channels that are activated by direct binding of intracellular cyclic nucleotides. The
	HCN family consists of four members (HCN1-4), each with a core transmembrane segment
	domain and a C-terminal 120 amino-acid cyclic nucleotide-binding domain motif. HCN channels
	are expressed in the brain, heart, thalamus and testis. The pacemaker properties of HCN
	channels contribute to spontaneous rhythmic activity in the brain and heart. HCN3 contains a
	segment characterized by a series of positively charged amino acids at every third position.
	This region designated S4 is likely to be the voltage sensor of the protein. In the brain, HCN3
	and HCN4 exhibit subcortical distribution mainly concentrated in the hypothalamus and
	thalamus, respectively.
Gene ID:	57657
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months