# antibodies .- online.com







## anti-MYOM2 antibody (Cy5.5)



( )	11/	IN	/ie	A .
	/ // <del> </del>	۱ ات	/   (−	' \/\/

Quantity:	100 μL	
Target:	MYOM2	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MYOM2 antibody is conjugated to Cy5.5	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human MYOM2	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

## Target Details

Target:	MYOM2	
Alternative Name:	MYOM2 (MYOM2 Products)	
Background:	Synonyms: 165 kDa connectin associated protein, 165 kDa connectin-associated protein, 165	
	kDa titin associated protein, 165 kDa titin-associated protein, M band protein, M protein, M-	
	protein, MYOM 2, MYOM2, MYOM2_HUMAN, Myomesin M protein 2 165kD, Myomesin M	
	protein 2 165 kDa, Myomesin M protein 2, Myomesin 2, Myomesin family member 2,	

### **Target Details**

Myomesin-2, Titin associated protein 165 kD, Titin associated protein, TTNAP.

Background: Myomesin-1 and myomesin-2 are components of the vertebrate myofibrillar M band and are associated with Titin, Myosin and Connectin. The myomesin proteins are responsible for the formation of a head structure on one end of the Titin string that connects the Z and M bands of the sarcomere. Myomesin-1 and -2 have unique N-terminal domains and are expressed mainly in skeletal muscle.

Gene ID:

9172

## **Application Details**

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 ug/ul

Concentration:	ι μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months