antibodies .- online.com





anti-MYOM2 antibody (Cy7)



Overview

Quantity:	100 μL
Target:	MYOM2
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MYOM2 antibody is conjugated to Cy7
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MYOM2
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	MYOM2
Alternative Name:	MYOM2 (MYOM2 Products)
Background:	Synonyms: 165 kDa connectin associated protein, 165 kDa connectin-associated protein, 165
	kDa titin associated protein, 165 kDa titin-associated protein, M band protein, M protein, M-
	protein, MYOM 2, MYOM2, MYOM2_HUMAN, Myomesin M protein 2 165kD, Myomesin M
	protein 2 165 kDa, Myomesin M protein 2, Myomesin 2, Myomesin family member 2,

Target Details

Myomesin-2, Titin associated protein 165 kD, Titin associated protein, TTNAP. Background: Myomesin-1 and myomesin-2 are components of the vertebrate myofibrillar M band and are associated with Titin, Myosin and Connectin. The myomesin proteins are responsible for the formation of a head structure on one end of the Titin string that connects the Z and M bands of the sarcomere. Myomesin-1 and -2 have unique N-terminal domains and are expressed mainly in skeletal muscle.

Gene ID:

9172

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL

Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.

Bullet.	Aqueous buttered solution containing 0.0 for 100 (pri 7.4) with 1 % box, 0.00 % 1 focilious and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Expiry Date: 12 months