

Datasheet for ABIN1423295 anti-CPQ antibody (Cy3)



Overview

000101000	
Quantity:	100 µL
Target:	CPQ
Reactivity:	Mouse, Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CPQ antibody is conjugated to Cy3
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human PGCP
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	CPQ
Alternative Name:	PGCP (CPQ Products)
Background:	Synonyms: Plasma glutamate carboxypeptidase, CBPQ_HUMAN.
	Background: PGCP is a 472 amino acid secreted protein that is primarily detected in blood
	placma PCCD is a carboxypoptidase that potentially is involved in the hydrolysis of circulating

plasma. PGCP is a carboxypeptidase that potentially is involved in the hydrolysis of circulating

peptides. Due to its upregulation in hepatocellular carcinoma (HCC), it is suspected that PGCP

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN1423295 | 07/26/2024 | Copyright antibodies-online. All rights reserved.

may be a potential serological marker for HCC. PGCP is a member of the Peptidase M28 family
of proteins, which also includes PSM (prostate-specific membrane antigen), metallopeptidases
and aminopeptidases. The gene encoding PGCP maps to chromosome 8, which is made up of
nearly 146 million bases and encodes about 800 genes. Translocation of portions of
chromosome 8 with amplifications of the c-Myc gene are found in some leukemias and
lymphomas, and are typically associated with a poor prognosis.In humans, PGCP is found
principally in blood plasma. It is a Carboxypeptidase that may play an important role in the
hydrolysis of circulating peptides.
10404
IF(IHC-P) 1:50-200
For Research Use only
Liquid
1 µg/µL
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
ProClin
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
-20 °C
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.