

Datasheet for ABIN1423651 anti-C22orf28 antibody (Cy5.5)



Overview

Improvement and an a	VIII conjugated synthetic partide derived from human LICDC117/C22arf20
Product Details	
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Conjugate:	This C22orf28 antibody is conjugated to Cy5.5
Clonality:	Polyclonal
Host:	Rabbit
Reactivity:	Human, Mouse, Rat
Target:	C22orf28
Quantity:	100 μL
Overview	

Immunogen:	KLH conjugated synthetic peptide derived from human HSPC117/C22orf28
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.

Target Details

Target:	C22orf28
Alternative Name:	C22orf28 (C22orf28 Products)
Background:	Synonyms: FAAP, Ankyrin repeat domain 54, C22orf28, Chromosome 22 open reading frame
	28, DJ149A16.6, HSPC117, Hypothetical protein LOC51493, Novel protein HSPC117, RP1-
	149A16.6, RTCB_HUMAN, tRNA-splicing ligase RtcB homolog.
	Background: HSPC117, also known as C22orf28, is a 505 amino acid protein that is encoded by

Target Details

a gene which maps to human chromosome 22. A highly homologous protein identified in rodents, FAAP (focal adhesion associated protein), encoded by murine D10Wsu52e gene, has been suggested to play a role in regulating cell adhesion dynamics. Chromosome 22 houses over 500 genes and is the second smallest human chromosome. Mutations in several of the genes that map to chromosome 22 are involved in the development of Phelan-McDermid syndrome, Neurofibromatosis type 2, autism and schizophrenia. Additionally, translocations between chromosomes 9 and 22 may lead to the formation of the Philadelphia Chromosome and the subsequent production of the novel fusion protein BCR-Abl, a potent cell proliferation activator found in several types of leukemias.

Gene ID:

51493

Application Details

Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months