

Datasheet for ABIN1427142  
**anti-LRRTM3 antibody (PE-Cy5)**



[Go to Product page](#)

## Overview

Quantity:	100 µL
Target:	LRRTM3
Reactivity:	Mouse, Human, Rat, Cow, Chicken, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This LRRTM3 antibody is conjugated to PE-Cy5
Application:	Western Blotting (WB), Flow Cytometry (FACS)

## Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human LRRTM3
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Cow,Sheep,Pig,Chicken,Rabbit,Monkey
Purification:	Purified by Protein A.

## Target Details

Target:	LRRTM3
Alternative Name:	LRRTM3 ( <a href="#">LRRTM3 Products</a> )
Background:	Synonyms: Leucine rich repeat transmembrane neuronal protein 3, Leucine-rich repeat transmembrane neuronal protein 3, LRRT3_HUMAN, Lrrtm3, MGC131810, PRO1693, UNQ803.

## Target Details

Background: The leucine-rich (LRR) repeat is a 20-30 amino acid motif that forms a hydrophobic Alpha/Beta horseshoe fold, allowing it to accommodate several leucine residues within a tightly packed core. All LRR repeats contain a variable segment and a highly conserved segment, the latter of which accounts for 11 or 12 residues of the entire LRR motif. The LRRTM protein family plays a role in the regulation of various cellular events during nervous system development. Localizing predominantly to the nervous system, LRRTM family members are known to exhibit synaptogenic activity. LRRTM3 (leucine rich repeat transmembrane neuronal 3) is a 581 amino acid single-pass type I membrane protein belonging to the LRRTM family. LRRTM3 is involved in the development and maintenance of the vertebrate nervous system, and contains ten LRR repeats. Expressed in neuronal tissues, LRRTM3 is encoded by a gene that maps to a region of chromosome 10 that has been linked to late-onset Alzheimer disease and elevated plasma Beta-Amyloid. As a result of alternative splicing events, two LRRTM3 isoforms exist.

Molecular Weight: 63kDa

Pathways: [Synaptic Membrane](#)

## Application Details

Application Notes: FCM(1:100-500)  
Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

## Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

Preservative: Sodium azide

Precaution of Use: This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C

Storage Comment: Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

Handling

---

Expiry Date: 12 months