antibodies -online.com





anti-Mannose Receptor antibody (PE-Cy5.5)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μL	
Target:	Mannose Receptor (MR)	
Reactivity:	Human, Mouse, Rat, Chicken, Cow, Dog, Guinea Pig, Horse, Pig, Sheep	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Mannose Receptor antibody is conjugated to PE-Cy5.5	
Application:	Flow Cytometry (FACS), Western Blotting (WB)	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MRC1	
Isotype:	IgG	
Cross-Reactivity:	Dog, Human, Mouse, Rat	
Predicted Reactivity:	Cow,Sheep,Pig,Horse,Chicken,Guinea Pig	
Purification:	Purified by Protein A.	

Target Details

Target:	Mannose Receptor (MR)	
Alternative Name:	Mannose Receptor (MR Products)	
Background:	Synonyms: MMR, CD206, MRC1L1, CLEC13D, CLEC13DL, bA541I19.1, Macrophage mannose receptor 1, C-type lectin domain family 13 member D, C-type lectin domain family 13 member	

Target Details

D-like, Macrophage mannose receptor 1-like protein 1, MRC1	
Background: Mediates the endocytosis of glycoproteins by macrophages. Binds both sulfated and non-sulfated polysaccharide chains. Acts as phagocytic receptor for bacteria, fungi and	
other pathogens.	
160 kDa	
4360	
P22897	
WB(1:100-500)	
IHC-P(1:100-500)	
IF(IHC-P)(1:100-500)	
For Research Use only	
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.	
Sodium azide	
WARNING: Reagents contain sodium azide. Sodium azide is very toxic if ingested or inhaled.	
Avoid contact with skin, eyes, or clothing. Wear eye or face protection when handling. If skin or eye contact occurs, wash with copious amounts of water. If ingested or inhaled, contact a	
physician immediately. Sodium azide yields toxic hydrazoic acid under acidic conditions. Dilute	
azide-containing compounds in running water before discarding to avoid accumulation of	
potentially explosive deposits in lead or copper plumbing.	
Protect from light.	
-20 °C	
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	