

Datasheet for ABIN1432112

anti-CADM2 antibody (AA 125-250) (PE)



oo to . . oudot pago

	er		

Quantity:	100 μL
Target:	CADM2
Binding Specificity:	AA 125-250
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CADM2 antibody is conjugated to PE
Application:	Western Blotting (WB), Flow Cytometry (FACS)
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human CADM2/Cell adhesion molecule 2
Immunogen:	KLH conjugated synthetic peptide derived from human CADM2/Cell adhesion molecule 2
Isotype:	IgG
Isotype: Cross-Reactivity:	IgG Mouse
Isotype: Cross-Reactivity: Predicted Reactivity:	IgG Mouse Human,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Isotype: Cross-Reactivity: Predicted Reactivity: Purification:	IgG Mouse Human,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit
Isotype: Cross-Reactivity: Predicted Reactivity: Purification: Target Details	IgG Mouse Human,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit Purified by Protein A.

Immunoglobulin superfamily member 4D, Nectin-like protein 3, Synaptic cell adhesion molecule	
2, CADM2	

Background: Adhesion molecule that engages in homo- and heterophilic interactions with the other nectin-like family members, leading to cell aggregation. Important for synapse organization, providing regulated trans-synaptic adhesion. Preferentially binds to oligodendrocytes.

Molecular Weight:	48kDa
Gene ID:	253559
UniProt:	Q8N3J6

Pathways: Cell-Cell Junction Organization

Application Details

Application Notes:	FCM 1:20-100
Restrictions:	For Research Use only

Handling

Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months