# antibodies - online.com







# anti-TNFRSF13C antibody

**Images** 



#### Overview

Quantity:	0.1 mg
Target:	TNFRSF13C
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This TNFRSF13C antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

#### **Product Details**

Immunogen:	Human BAFF-R/BR3 transfectant
Clone:	8A7
Isotype:	lgG2a
Specificity:	This antibody reacts with human BAFF-R/BR3.
Purification:	Protein A agarose

# **Target Details**

Target:	TNFRSF13C
Alternative Name:	CD268 / BAFFR (TNFRSF13C Products)
Background:	BAFF (B cell-activating factor belonging to the TNF family) is a membrane protein expressed by

dendritic cells, monocytes, macrophages, follicular dendritic cells, activated T cells, activated neutrophils, and malignant B cells. BAFF, also known as BLyS (B lymphocyte stimulator), is a potent B cell growth factor. Proteolytic cleavage can result in the release of a soluble trimeric BAFF which binds to the BAFF-R/BR3, BCMA and TACI. BAFF-R/BR3 is the principal receptor for B cell survival and responses induced by BAFF.Synonyms: B cell-activating factor receptor, BAFF receptor, BAFF-R, BLyS receptor 3, BR3, TNFRSF13C, Tumor necrosis factor receptor superfamily member 13C

 Gene ID:
 115650

 NCBI Accession:
 NP\_443177

UniProt: Q96RJ3

Pathways: NF-kappaB Signaling

#### **Application Details**

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

# Handling

Concentration:

1.0 mg/mL

Buffer:

PBS containing 50 % glycerol, pH 7.2. Contains no preservatives.

Preservative:

Without preservative

Handling Advice:


Avoid repeated freezing and thawing.

Storage:

-20 °C

Storage Comment:

Upon receipt, store (in aligouts) at -20 °C.





# **Immunohistochemistry**

Image 1.



Image 2.





#### **Western Blotting**

Image 3.