antibodies .- online.com







anti-RUSC2 antibody (C-Term)



\sim			
	N/P	r\/	i⊢₩

Alternative Name:

Quantity:	0.1 mg	
Target:	RUSC2	
Binding Specificity:	C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RUSC2 antibody is un-conjugated	
Application:	Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)	
Product Details		
Immunogen:	A 15 amino acid synthetic peptide from near the carboxy terminus of Human RUSC2	
Isotype:	IgG	
Purification:	Affinity chromatography purified via peptide column	
Target Details		
Target:	RUSC2	

Background: RUSC2, also known as Iporin, shares with the related protein RUSC1 a common domain structure of RUN, leucine zipper and SH3 domain in addition to over 30 % amino acid identity.

RUSC2 (RUSC2 Products)

RUSC2 is a rab1-interacting protein that also interacts with GM130, another rab1-interacting

protein. RUSC2 interacts with specific rab1 isoforms with different rab-binding specificity. It has

Target Details

Storage Comment:

	been suggested that RUSC2 may function as a link between the targeting of ER derived vesicles	
	triggered by the rab1 GTPase and a signaling pathway composed of proteins containing SH3	
	and/or poly-proline regions.Synonyms: Iporin, RUN and SH3 domain containing protein 2	
Gene ID:	9853	
NCBI Accession:	NP_001098673	

Application Details		
Application Notes:	Optimal working dilution should be determined by the investigator.	
Restrictions:	For Research Use only	
Handling		
Concentration:	1.0 mg/mL	
Buffer:	PBS containing 0.02 % Sodium Azide as preservative	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Handling Advice:	Avoid repeated freezing and thawing.	
Storage:	4 °C/-20 °C	

Store undiluted at 2-8 °C for one month or (in aliquots) at -20 °C for longer.