antibodies .- online.com





Glycosylation Dependent Cell Adhesion Molecule 1 (Pseudogene) (GLYCAM1) (AA 19-153) protein (His tag)



Go to Product page

()\	ve	K\ /	01	Α .
1 11	$/ \square$	I \/ I	\square	/\/

0.10.11011	
Quantity:	1 mg
Target:	Glycosylation Dependent Cell Adhesion Molecule 1 (Pseudogene) (GLYCAM1)
Protein Characteristics:	AA 19-153
Origin:	Cow
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	His tag
Application:	ELISA
Product Details	
Sequence:	IL NKPEDETHLE AQPTDASAQF IRNLQISNED LSKEPSISRE DLISKEQIVI RSSRQPQSQN
	PKLPLSILKE KHLRNATLGS EETTEHTPSD ASTTEGKLME LGHKIMRNLE NTVKETIKYL
	KSLFSHAFEV VKT
Specificity:	Bos taurus (Bovine)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %
Target Details	
Target:	Glycosylation Dependent Cell Adhesion Molecule 1 (Pseudogene) (GLYCAM1)
Alternative Name:	Glycosylation-dependent cell adhesion molecule 1 (GLYCAM1) (GLYCAM1 Products)

Target Details

Background:	Recommended name: Glycosylation-dependent cell adhesion molecule 1.	
	Short name= GlyCAM-1.	
	Alternative name(s): 28 kDa milk glycoprotein PP3 Lactophorin Proteose-peptone component 3.	
	Short name= PP3	
UniProt:	P80195	

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.