# antibodies .- online.com





IMPACT Protein (AA 1-318) (His tag)



## Overview

Quantity:	1 mg
Target:	IMPACT
Protein Characteristics:	AA 1-318
Origin:	Cow
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This IMPACT protein is labelled with His tag.
Application:	ELISA

Product Details	
Sequence:	MAEGDTGSDQ RQNEEIEAMA AIYGEEWCVI DDCAKIFCIR ISDDIDDPKW TLCLQVMLPN
	EYPGTAPPIY QLNAPWLKGQ ERADLSNSLE EIYIQNIGES ILYLWVEKIR DVLIQKSQMT  EPGPDVKKKT EEEDVECEDD LVLACQPENQ VKTLDFDVSE NRTEIEELPP IDHGIPITDR
	RSTFQAHLAP VVCPKQVKMV LAKLYENKKI ASATHNIYAY RIYCEDKQTF LQDCEDDGET
	AAGGRLLHLM EILNVRDVMV VVSRWYGGVL LGPDRFKHIN NCARNILVEK NYTNSPEESS KALGKNKKVR KDKKRSEH
Specificity:	Bos taurus (Bovine)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

#### **Target Details**

Target:	IMPACT
Alternative Name:	Protein IMPACT (IMPACT Products)
Background:	Recommended name: Protein IMPACT.  Alternative name(s): Imprinted and ancient gene protein homolog
UniProt:	A7YY45

# **Application Details**

#### Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

### Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.