antibodies .- online.com





Datasheet for ABIN1461019

GNAS Protein (AA 47-241) (His tag)



Overview

1 mg
GNAS
AA 47-241
Cow
Yeast
Recombinant
This GNAS protein is labelled with His tag.
ELISA
TSST RAQQRAAAQR RTFLNAHHRS AAQVFPEPPE SDHEDTDFEP SLPECPEYQE EEFDYESETE
SESEIESETE FETESDTAPT TEPETEPEDE PGPVVPKRPT FHQSLTERLS ALRLRSPDAS
PSRAPPSTQE SESPRQGEEP EDKDPRDPEE SEEPKEEEKQ QQHRCKPKKP TRRDPSPESP
SKRGAIPIRR H
Bos taurus (Bovine)
Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
cells or by baculovirus infection. Be aware about differences in price and lead time.
> 90 %
GNAS
_

Target Details

Alternative Name:	Neuroendocrine secretory protein 55 (GNAS) (GNAS Products)
Background:	Recommended name: Neuroendocrine secretory protein 55. Short name= NESP55 Cleaved into the following 2 chains: 1. LSAL tetrapeptide 2. GAIPIRRH peptide
UniProt:	018979
Pathways:	Thyroid Hormone Synthesis, cAMP Metabolic Process, Myometrial Relaxation and Contraction, Embryonic Body Morphogenesis

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.