antibodies .- online.com







UNC119 Protein (AA 1-240) (His tag)



/ N	1/0	K / /	\sim	A
	ve	I \/ I	ı⊢۱	Λ

Target:

1 mg
UNC119
AA 1-240
Dog
Yeast
Recombinant
This UNC119 protein is labelled with His tag.
ELISA
MKVKKGGGGA GTGAEPASGA PGPSVEPKPE PQAESESGSE SEPEAGPGPR PGPLQRKQRI
GPEDVLGLQR ITGDYLCSPE ENIYKIDFIR FKIRDMDSGT VLFEIKKPPA SERLPINRRD
LDPNAGRFVR YQFTPAFLRL RQVGATVEFT VGDKPVNNFR MIERHYFRNQ LLKSFDFHFG
FCIPSSKNTC EHIYDFPPLS EELINEMIRH PYETQSDSFY FVDDRLVMHN KADYSYSGTP
Canis familiaris (Dog) (Canis lupus familiaris)
Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
cells or by baculovirus infection. Be aware about differences in price and lead time.
> 90 %

UNC119

Target Details

Alternative Name:	Protein unc-119 homolog A (UNC119) (UNC119 Products)
Background:	Recommended name: Protein unc-119 homolog A. Alternative name(s): CRG4 Retinal protein 4
UniProt:	019177

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized	
Concentration:	0.2-2 mg/mL	
Buffer:	Tris-based buffer, 50 % glycerol	
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week	
Storage:	-20 °C	
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.	