# antibodies -online.com





## DDC Protein (AA 1-480) (His tag)



#### Overview

Quantity:	1 mg
Target:	DDC
Protein Characteristics:	AA 1-480
Origin:	Guinea Pig
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This DDC protein is labelled with His tag.
Application:	ELISA

Product Details	
Sequence:	MNASEFRRRG KEMVDYVANY LEGIESRLVY PDVEPGYLRP LIPSSAPEEP ETYEDIIGDI
	ERIIMPGVTH WNSPYFFAYF PTANSYPSML ADMLCGAISC IGFSWAASPA CTELETVMLD
	WLGKMLRLPD AFLAGNAGMG GGVIQGSASE ATLVALLAAR TKVIRRLQAA SPELTQAAIM
	EKLVAYASDQ AHSSVERAGL IGGVRMKLIP SDSNFAMRAS ALREALERDK AAGLIPFFVV
	ATLGTTNCCS FDSLLEVGPI CNQEEMWLHI DAAYAGSAFI CPEFRHLLDG VEFADSFNFN
	PHKWLLVNFD CSAMWVKQRT DLIGAFKLDP VYLKHGHQDS GLITDYRHWQ IPLGRRFRSL
	KMWFVFRMYG IKGLQAHIRK HVQLAHEFES LVRQDPRFEI CMEVTLGLVC FRLKGSNQLN
	ETLLKRINSA RKIHLVPCHL RDKFVLRFRI CSRQVESDHV QQAWQHIRQL ASSVLRLERA
Specificity:	Cavia porcellus (Guinea pig)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
	cells or by baculovirus infection. Be aware about differences in price and lead time.

## **Product Details** > 90 % Purity: **Target Details** DDC Target: Alternative Name Aromatic-L-amino-acid decarboxylase (DDC) (DDC Products) Background: Recommended name: Aromatic-L-amino-acid decarboxylase. Short name= AADC. EC= 4.1.1.28. Alternative name(s): DOPA decarboxylase. Short name= DDC UniProt: P22781 Pathways: Dopaminergic Neurogenesis **Application Details** Comment: The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies. Restrictions: For Research Use only Handling Lyophilized Format: 0.2-2 mg/mL Concentration: Buffer: Tris-based buffer, 50 % glycerol

one week

Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to

Handling Advice:

### Handling

Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.