

[Go to Product page](#)

Datasheet for ABIN1473219

MEK1 Protein (AA 2-393) (His tag)

Overview

Quantity:	1 mg
Target:	MEK1 (MAP2K1)
Protein Characteristics:	AA 2-393
Origin:	Rabbit
Source:	Yeast
Protein Type:	Recombinant
Purification tag / Conjugate:	This MEK1 protein is labelled with His tag.
Application:	ELISA

Product Details

Sequence:	PKKKPTPIQ LNPAPDGS AV NGTSSAETNL EALQKKLEEL ELDEQQRKRL EAFLTQKQKV GELKDDDFEK ISELGAGNGG VFKVSHKPS GLVMARKLIH LEIKPAIRNQ IIRELQVLHE CNSPIYVGFY GAFYSDGEIS ICMEHMDGGS LDQVLKKAGR IPEQILGKVS IAVIKGLTYL REKHKIMHRD VKPSNILVNS RGEIKLCDFG VSGQLIDSMA NSFVGTRSYM SPERLQGTHY SVQSDIWSMG LSLVEMAVGR YPIPPDAKE LELMFGCQVE GDAAETPPRP RTPGRPLSSY GMDSRPPMAI FELLDYIVNE PPPKLPSAVF SLEFQDFVNK CLIKNPAERA DLKQLMVHAF IKRSDAEEVD FAGWLCSTIG LNPSTPTHA AGV
Specificity:	Oryctolagus cuniculus (Rabbit)
Characteristics:	Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalian cells or by baculovirus infection. Be aware about differences in price and lead time.
Purity:	> 90 %

Target Details

Target:	MEK1 (MAP2K1)
Alternative Name:	Dual specificity mitogen-activated protein kinase kinase 1 (MAP2K1) (MAP2K1 Products)
Background:	Recommended name: Dual specificity mitogen-activated protein kinase kinase 1. Short name= MAP kinase kinase 1. Short name= MAPKK 1. EC= 2.7.12.2. Alternative name(s): ERK activator kinase 1 MAPK/ERK kinase 1. Short name= MEK 1
UniProt:	P29678
Pathways:	MAPK Signaling , RTK Signaling , Interferon-gamma Pathway , Fc-epsilon Receptor Signaling Pathway , Neurotrophin Signaling Pathway , Activation of Innate immune Response , Toll-Like Receptors Cascades , Autophagy , Signaling of Hepatocyte Growth Factor Receptor , BCR Signaling

Application Details

Comment:	The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modified such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to

Handling

one week

Storage: -20 °C

Storage Comment: Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.