antibodies -online.com





DPYSL2 Protein (AA 1-572) (His tag)



Go to Product page

| () | 1 / | \sim | KI / | 110 | Νę |
|-----|-----|----------|------|-----|-------|
| | 1// | \vdash | I \/ | 1 ← | ٠// ٢ |
| | | | | | |

| Quantity: | 1 mg |
|-------------------------------|---|
| Target: | DPYSL2 |
| Protein Characteristics: | AA 1-572 |
| Origin: | Rat |
| Source: | Yeast |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This DPYSL2 protein is labelled with His tag. |
| Application: | ELISA |

| Application. | |
|------------------|--|
| Product Details | |
| Sequence: | MSYQGKKNIP RITSDRLLIK GGKIVNDDQS FYADIYMEDG LIKQIGENLI VPGGVKTIEA |
| | HSRMVIPGGI DVHTRFQMPD QGMTSADDFF QGTKAALAGG TTMIIDHVVP EPGTSLLAAF |
| | DQWREWADSK SCCDYSLHVD ITEWHKGIQE EMEALVKDHG VNSFLVYMAF KDRFQLTDSQ |
| | IYEVLSVIRD IGAIAQVHAE NGDIIAEEQQ RILDLGITGP EGHVLSRPEE VEAEAVNRSI TIANQTNCPL |
| | YVTKVMSKSA AEVIAQARKK GTVVYGEPIT ASLGTDGSHY WSKNWAKAAA FVTSPPLSPD |
| | PTTPDFLNSL LSCGDLQVTG SAHCTFNTAQ KAVGKDNFTL IPEGTNGTEE RMSVIWDKAV |
| | VTGKMDENQF VAVTSTNAAK VFNLYPRKGR ISVGSDADLV IWDPDSVKTI SAKTHNSALE |
| | YNIFEGMECR GSPLVVISQG KIVLEDGTLH VTEGSGRYIP RKPFPDFVYK RIKARSRLAE |
| | LRGVPRGLYD GPVCEVSVTP KTVTPASSAK TSPAKQQAPP VRNLHQSGFS LSGAQIDDNI |
| | PRRTTQRIVA PPGGRANITS LG |
| Specificity: | Rattus norvegicus (Rat) |
| Characteristics: | Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien |

Product Details

Buffer:

| | cells or by baculovirus infection. Be aware about differences in price and lead time. |
|---------------------|--|
| Purity: | > 90 % |
| Target Details | |
| Target: | DPYSL2 |
| Alternative Name: | Dihydropyrimidinase-related protein 2 (Dpysl2) (DPYSL2 Products) |
| Background: | Recommended name: Dihydropyrimidinase-related protein 2. |
| | Short name= DRP-2. |
| | Alternative name(s): Collapsin response mediator protein 2. |
| | Short name= CRMP-2 Turned on after division 64 kDa protein. |
| | Short name= TOAD-64 |
| UniProt: | P47942 |
| Pathways: | Regulation of Cell Size |
| Application Details | |
| Comment: | The yeast protein expression system is the most economical and efficient eukaryotic system |
| | for secretion and intracellular expression. A protein expressed by the mammalian cell system is |
| | of very high-quality and close to the natural protein. But the low expression level, the high cost |
| | of medium and the culture conditions restrict the promotion of mammalian cell expression |
| | systems. The yeast protein expression system serve as a eukaryotic system integrate the |
| | advantages of the mammalian cell expression system. A protein expressed by yeast system |
| | could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the |
| | native protein conformation. It can be used to produce protein material with high added value |
| | that is very close to the natural protein. Our proteins produced by yeast expression system has |
| | been used as raw materials for downstream preparation of monoclonal antibodies. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Lyophilized |
| Concentration: | 0.2-2 mg/mL |
| | |

Tris-based buffer, 50 % glycerol

Handling

| Handling Advice: | Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week |
|------------------|---|
| Storage: | -20 °C |
| Storage Comment: | Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C. |