antibodies .- online.com





Datasheet for ABIN1478159

GAR1 Protein (AA 1-205) (His tag)



Overview

1 mg
GAR1
AA 1-205
Saccharomyces cerevisiae
Yeast
Recombinant
This GAR1 protein is labelled with His tag.
ELISA
MSFRGGNRGG RGGFRGGFRG GRTGSARSFQ QGPPDTVLEM GAFLHPCEGD IVCRSINTKI
PYFNAPIYLE NKTQVGKVDE ILGPLNEVFF TIKCGDGVQA TSFKEGDKFY IAADKLLPIE
RFLPKPKVVG PPKPKNKKKR SGAPGGRGGA SMGRGGSRGG FRGGRGGSSF RGGRGGSSFR
GGSRGGSFRG GSRGGSRGGF RGGRR
Saccharomyces cerevisiae (strain ATCC 204508 / S288c) (Bakers yeast)
Please inquire if you are interested in this recombinant protein expressed in E. coli, mammalien
cells or by baculovirus infection. Be aware about differences in price and lead time.
> 90 %
GAR1

Target Details

Alternative Name:	H/ACA ribonucleoprotein complex subunit 1 (GAR1) (GAR1 Products)
Background:	Recommended name: H/ACA ribonucleoprotein complex subunit 1. Alternative name(s): snoRNP protein GAR1
UniProt:	P28007

Application Details

Comment:

The yeast protein expression system is the most economical and efficient eukaryotic system for secretion and intracellular expression. A protein expressed by the mammalian cell system is of very high-quality and close to the natural protein. But the low expression level, the high cost of medium and the culture conditions restrict the promotion of mammalian cell expression systems. The yeast protein expression system serve as a eukaryotic system integrate the advantages of the mammalian cell expression system. A protein expressed by yeast system could be modificated such as glycosylation, acylation, phosphorylation and so on to ensure the native protein conformation. It can be used to produce protein material with high added value that is very close to the natural protein. Our proteins produced by yeast expression system has been used as raw materials for downstream preparation of monoclonal antibodies.

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Concentration:	0.2-2 mg/mL
Buffer:	Tris-based buffer, 50 % glycerol
Handling Advice:	Repeated freezing and thawing is not recommended. Store working aliquots at 4 °C for up to one week
Storage:	-20 °C
Storage Comment:	Store at -20 °C, for extended storage, conserve at -20 °C or -80 °C.