



[Go to Product page](#)

Datasheet for ABIN1497772
anti-DCBLD2 antibody (AA 489-750)

2 Images

Overview

Quantity:	100 µL
Target:	DCBLD2
Binding Specificity:	AA 489-750
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DCBLD2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	Recombinant protein fragment contain a sequence corresponding to a region within amino acids 489 and 750 (Q96PD2) of DCBLD2. Percent identity by BLAST analysis: Human (100%), Mouse, Rat (87%). Type of Immunogen: Recombinant protein
Isotype:	IgG
Specificity:	Human DCBLD2
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Mouse, Rat (87%).
Purification:	Immunoaffinity purified

Target Details

Target:	DCBLD2
Alternative Name:	DCBLD2 (DCBLD2 Products)
Background:	Name/Gene ID: DCBLD2 Synonyms: DCBLD2, CLCP1, ESDN
Gene ID:	131566
UniProt:	Q96PD2

Application Details

Application Notes:	Approved: IHC, IHC-P (1:100 - 1:1000), WB (1:500 - 1:3000) Usage: Suggested starting dilutions are as follows: Western blot: 1:500-1:3000, IHC-Paraffin: 1:100-1:1000 [suggested antigen retrieval using heat mediated 10 mM Citrate buffer (pH 6.0) or Tris-EDTA buffer (pH 8.0)]. Not yet tested in other applications. Optimal working dilutions should be determined experimentally by the end user.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	Lot specific
Buffer:	PBS, pH 7, 1 % BSA, 20 % Glycerol, 0.01 % Thimerosal
Preservative:	Thimerosal (Merthiolate)
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Avoid freeze-thaw cycles.
Storage:	-20 °C
Storage Comment:	Aliquot and freeze at -20°C. Avoid freeze-thaw cycles.




Image 1.




Image 2.