
## antibodies -online.com







Image



Go to Product page

_					
U	V	er	VI	е	W


Quantity:	100 μL		
Target:	NCK2		
Binding Specificity:	AA 1-286		
Reactivity:	Human		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This NCK2 antibody is un-conjugated		
Application:	Western Blotting (WB)		
Product Details			
Immunogen:	Recombinant fragment corresponding to a region within amino acids 1 and 286 of Nck beta (SwissProt 043639). Percent identity by BLAST analysis: Human (100%), Mouse, Rat (95%),		
	Chicken (92%), Porcine, Bovine (90%).		
	Type of Immunogen: Recombinant protein		
Isotype:	IgG		
Specificity:	Human NCK2		
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Mouse, Rat (95%) Chicken (92%) Porcine, Bovine (90%).		
Purification:	Immunoaffinity purified		

## **Target Details**

Storage Comment:

rarget Details			
Target:	NCK2		
Alternative Name:	GRB4 / NCK2 (NCK2 Products)		
Background:	Name/Gene ID: NCK2		
	Synonyms: NCK2, GRB4, NCKbeta, NCK beta, Nck-2, Cytoplasmic protein NCK2, NCK adaptor protein 2		
Gene ID:	8440		
UniProt:	O43639		
Pathways:	EGFR Signaling Pathway, Regulation of Actin Filament Polymerization		
Application Details			
Application Notes:	Approved: WB (1:5000 - 1:20000)		
	Usage: Suggested starting dilutions are as follows: Western blot: 1:5000-1:20000. Not yet tested in other applications. Optimal working dilutions should be determined experimentally by the end user.		
Comment:	Target Species of Antibody: Human		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Concentration:	Lot specific		
Buffer:	PBS, pH 7, 1 % BSA, 20 % Glycerol, 0.01 % Thimerosal		
Preservative:	Thimerosal (Merthiolate)		
Precaution of Use:	This product contains Thimerosal (Merthiolate): a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.		
Handling Advice:	Avoid freeze-thaw cycles.		
Storage:	-20 °C		

Aliquot and freeze at -20°C. Avoid freeze-thaw cycles.



## **Western Blotting**

Image 1.