

## Datasheet for ABIN1531542 anti-MUC1 antibody (pTyr1243)

## 1 Image





## Go to Product page

Overview	
Quantity:	100 μL
Target:	MUC1
Binding Specificity:	AA 1204-1253, pTyr1243
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MUC1 antibody is un-conjugated
Application:	Immunohistochemistry (IHC), ELISA
Product Details	
Immunogen:	The antiserum was produced against synthesized peptide derived from human CD227/Mucin 1
	around the phosphorylation site of Tyr1243.
Isotype:	IgG
Specificity:	CD227/Mucin 1 (Phospho-Tyr1243) Antibody detects endogenous levels of CD227/Mucin 1
	only when phosphorylated at Tyr1243.
	PhosphorylationH:Y1243 M:Y618
Purification:	The antibody was purified from rabbit antiserum by affinity-chromatography using phospho
	peptide. The antibody against non-phospho peptide was removed by chromatography using
	corresponding non-phospho peptide.
Purity:	> 95 %

Target Details	
Target:	MUC1
Alternative Name:	CD227/Mucin 1 (MUC1 Products)
Background:	Synonyms: Breast carcinoma-associated antigen DF3, Carcinoma-associated mucin, CD227, EMA, Episialin, H23AG, MUC-1, mucin 1, Mucin 1 precursor, mucin 1, transmembrane, Peanut-reactive urinary mucin, PEM, PEMT, Polymorphic epithelial mucin, PUM, Tumor-associated epi NCBI Gene Symbol: MUC1
Molecular Weight:	122 kDa
Gene ID:	4582
OMIM:	113720
UniProt:	P15941
Pathways:	Negative Regulation of intrinsic apoptotic Signaling
Application Details	
Application Notes:	IHC: 1:50~1:100 ELISA: 1:20000
Comment:	Unigene-Number: Hs.89603 (NCBI Gene Symbol: MUC1)
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 mg/mL
Buffer:	phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02 % sodium

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Stable at -20°C for at least 1 year.
Expiry Date:	12 months





## **Immunohistochemistry**

**Image 1.** Immunohistochemistry analysis of paraffinembedded human breast carcinoma, using CD227/Mucin 1 (Phospho-Tyr1243) Antibody. The picture on the right is treated with the synthesized peptide.