

Datasheet for ABIN1531563 anti-CSF1R antibody (pTyr561)

2 Images



Go to Product page

_					
	1//	r	Vİ	\triangle	۸/
	V		VI		/ V

O V CI V I C V V		
Quantity:	100 μL	
Target:	CSF1R	
Binding Specificity:	AA 531-580, pTyr561	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CSF1R antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)	
Product Details		
Immunogen:	The antiserum was produced against synthesized peptide derived from human CSFR around	
	the phosphorylation site of Tyr561.	
Isotype:	IgG	
Specificity:	CSFR (Phospho-Tyr561) Antibody detects endogenous levels of CSFR only when	
	phosphorylated at Tyr561.	
	PhosphorylationH:Y561 M:Y559 R:Y559	
Purification:	The antibody was purified from rabbit antiserum by affinity-chromatography using phospho	
	peptide. The antibody against non-phospho peptide was removed by chromatography using	
	corresponding non-phospho peptide.	
Purity:	> 95 %	

Target Details


Target:	CSF1R
Alternative Name:	CSFR (CSF1R Products)
Background:	Synonyms: c-fms, CD115, CSF-1-R, CSF1R, CSFMR, FMS, Fms proto-oncogene, kinase CSFR, M-CSFR, Macrophage colony stimulating factor I receptor precursor NCBI Gene Symbol: CSF1R
Molecular Weight:	107 kDa
Gene ID:	1436
OMIM:	164770
UniProt:	P07333
Pathways:	RTK Signaling, Inositol Metabolic Process, Cell-Cell Junction Organization

Application Details

Application Notes:	WB: 1:500~1:1000 IHC: 1:50~1:100 ELISA: 1:10000
Comment:	Unigene-Number: Hs.586219, Hs.654394 (NCBI Gene Symbol: CSF1R)
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Stable at -20°C for at least 1 year.
Expiry Date:	12 months



Western Blotting

Image 1. Western blot analysis of extracts from HepG2 cells, using CSFR (Phospho-Tyr561) Antibody. The lane on the right is treated with the synthesized peptide.



Immunohistochemistry

Image 2. Immunohistochemistry analysis of paraffinembedded human brain, using CSFR (Phospho-Tyr561) Antibody. The picture on the right is treated with the synthesized peptide.