

Datasheet for ABIN1531817 anti-DOK2 antibody (pTyr299)

1 Image



Overview

Overview	
Quantity:	100 μL
Target:	DOK2
Binding Specificity:	AA 266-315, pTyr299
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DOK2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA
Product Details	
Immunogen:	The antiserum was produced against synthesized peptide derived from human p56 Dok-2 around the phosphorylation site of Tyr299.
Isotype:	IgG
Specificity:	p56 Dok-2 (Phospho-Tyr299) Antibody detects endogenous levels of p56 Dok-2 only when phosphorylated at Tyr299. PhosphorylationH:Y299 M:Y304
Purification:	The antibody was purified from rabbit antiserum by affinity-chromatography using phospho peptide. The antibody against non-phospho peptide was removed by chromatography using corresponding non-phospho peptide.
Purity:	> 95 %

Target Details


Target:	DOK2
Alternative Name:	p56 Dok-2 (DOK2 Products)
Background:	Synonyms: Docking protein 2, Dok-R, Dok-related protein, DOK2, DokR, downstream of tyrosine kinase 2, FRIP, IL-4 receptor interacting protein, p56(dok-2) NCBI Gene Symbol: DOK2
Molecular Weight:	45 kDa
Gene ID:	9046
OMIM:	604997
UniProt:	060496

Application Details

Application Notes:	WB: 1:500~1:1000 ELISA: 1:20000
Comment:	Unigene-Number: Hs.71215 (NCBI Gene Symbol: DOK2)
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Concentration:	1 mg/mL	
Buffer:	phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Stable at -20°C for at least 1 year.	
Expiry Date:	12 months	



Western Blotting

Image 1. Western blot analysis of extracts from COS7 cells treated with insulin 0.01U/ml 15', Jurkat cells treated with insulin 0.01U/ml 15' and 293 cells treated with serum 20% 15', using p56 Dok-2 (Phospho-Tyr299) Antibody. The lane on the right is treated with the synthesized peptide.