

Datasheet for ABIN1532117
anti-GRK2 antibody (pSer685)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	GRK2 (ADRBK1)
Binding Specificity:	AA 640-689, pSer685
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GRK2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	The antiserum was produced against synthesized peptide derived from human GRK2 around the phosphorylation site of Ser685.
Isotype:	IgG
Specificity:	GRK2 (Phospho-Ser685) Antibody detects endogenous levels of GRK2 only when phosphorylated at Ser685. PhosphorylationH:S685 M:S685 R:S685
Purification:	The antibody was purified from rabbit antiserum by affinity-chromatography using phospho peptide. The antibody against non-phospho peptide was removed by chromatography using corresponding non-phospho peptide.
Purity:	> 95 %

Target Details


Target:	GRK2 (ADRBK1)
Alternative Name:	GRK2 (ADRBK1 Products)
Background:	Synonyms: ADRBK1, ARBK1, BARK, BARK1, beta-adrenergic receptor kinase 1, beta-ARK-1, G protein receptor kinase 2, G- protein coupled receptor kinase 2, kinase GRK2 NCBI Gene Symbol: ADRBK1
Molecular Weight:	79 kDa
Gene ID:	156
OMIM:	109635
UniProt:	P25098
Pathways:	EGFR Signaling Pathway , Neurotrophin Signaling Pathway , Regulation of G-Protein Coupled Receptor Protein Signaling , CXCR4-mediated Signaling Events , G-protein mediated Events , Interaction of EGFR with phospholipase C-gamma , Thromboxane A2 Receptor Signaling

Application Details

Application Notes:	WB: 1:500~1:1000 ELISA: 1:1000
Comment:	Unigene-Number: Hs.83636 (NCBI Gene Symbol: ADRBK1)
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Stable at -20°C for at least 1 year.
Expiry Date:	12 months



Western Blotting

Image 1. Western blot analysis of extracts from HT29 cells treated with insulin 0.01U/ml 15', using GRK2 (Phospho-Ser685) Antibody. The lane on the right is treated with the synthesized peptide.