

Datasheet for ABIN1532577
anti-CSF1R antibody (AA 781-830)



[Go to Product page](#)

3 Images

Overview

Quantity:	100 µL
Target:	CSF1R
Binding Specificity:	AA 781-830
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CSF1R antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	The antiserum was produced against synthesized peptide derived from human CSFR.
Isotype:	IgG
Specificity:	CSFR Antibody detects endogenous levels of total CSFR protein.
Purification:	The antibody was purified from rabbit antiserum by affinity-chromatography using immunogen.
Purity:	> 95 %

Target Details

Target:	CSF1R
Alternative Name:	CSFR (CSF1R Products)
Background:	Synonyms: c-fms, CD115, CSF-1-R, CSF1R, CSFMR, FMS, Fms proto-oncogene, kinase CSFR,

Target Details


	M-CSFR, Macrophage colony stimulating factor I receptor precursor NCBI Gene Symbol: CSF1R
Molecular Weight:	107 kDa
Gene ID:	1436
OMIM:	164770
UniProt:	P07333
Pathways:	RTK Signaling , Inositol Metabolic Process , Cell-Cell Junction Organization

Application Details

Application Notes:	WB: 1:500~1:1000 IHC: 1:50~1:100 IF: 1:100~1:500 ELISA: 1:5000
Comment:	Unigene-Number: Hs.586219 (NCBI Gene Symbol: CSF1R)
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Stable at -20°C for at least 1 year.
Expiry Date:	12 months




Immunohistochemistry

Image 1. Immunohistochemistry analysis of paraffin-embedded human brain tissue, using CSFR (Ab-809) Antibody. The picture on the right is treated with the synthesized peptide.



Immunofluorescence

Image 2. Immunofluorescence analysis of HeLa cells, using CSFR (Ab-809) Antibody. The picture on the right is treated with the synthesized peptide.



Western Blotting

Image 3. Western blot analysis of extracts from HT29 cells, using CSFR (Ab-809) Antibody. The lane on the right is treated with the synthesized peptide.