

Datasheet for ABIN1533572
anti-RECK antibody (AA 21-70)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	RECK
Binding Specificity:	AA 21-70
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RECK antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	The antiserum was produced against synthesized peptide derived from human RECK.
Isotype:	IgG
Specificity:	RECK Antibody detects endogenous levels of total RECK protein.
Purification:	The antibody was purified from rabbit antiserum by affinity-chromatography using immunogen.
Purity:	> 95 %

Target Details

Target:	RECK
Alternative Name:	RECK (RECK Products)
Background:	Synonyms: Reversion-inducing cysteine-rich protein with Kazal motifs, hRECK, Suppressor of

Target Details


	tumorigenicity protein 15, ST15 NCBI Gene Symbol: RECK
Molecular Weight:	106 kDa
Gene ID:	8434
OMIM:	605227
UniProt:	O95980

Application Details

Application Notes:	IHC: 1:50~1:100 IF: 1:100~1:500 ELISA: 1:20000
Comment:	Unigene-Number: Hs.388918 (NCBI Gene Symbol: RECK)
Restrictions:	For Research Use only


Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Stable at -20°C for at least 1 year.
Expiry Date:	12 months



Immunohistochemistry

Image 1. Immunohistochemistry analysis of paraffin-embedded human brain tissue, using RECK Antibody. The picture on the right is treated with the synthesized peptide.



Immunofluorescence

Image 2. Immunofluorescence analysis of HepG2 cells, using RECK Antibody. The picture on the right is treated with the synthesized peptide.