

Datasheet for ABIN1534149
anti-MED17 antibody (AA 141-190)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	MED17
Binding Specificity:	AA 141-190
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MED17 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	The antiserum was produced against synthesized peptide derived from human MED17.
Isotype:	IgG
Specificity:	MED17 Antibody detects endogenous levels of total MED17 protein.
Purification:	The antibody was purified from rabbit antiserum by affinity-chromatography using immunogen.
Purity:	> 95 %

Target Details

Target:	MED17
Alternative Name:	MED17 (MED17 Products)
Background:	Synonyms: ARC77, CRSP complex subunit 6, DRIP80, activator-recruited cofactor 77 kDa

Target Details


	component, cofactor required for Sp1 transcriptional activation subunit 6, thyroid hormone receptor-associated protein complex 80 kDa component, transcriptional coactivator CRSP77, NCBI Gene Symbol: MED17
Molecular Weight:	72 kDa
Gene ID:	9440
OMIM:	603810
UniProt:	Q9NVC6
Pathways:	Intracellular Steroid Hormone Receptor Signaling Pathway , Stem Cell Maintenance , Regulation of Lipid Metabolism by PPARalpha

Application Details

Application Notes:	WB: 1:500~1:1000 ELISA: 1:1000
Comment:	Unigene-Number: Hs.444931 (NCBI Gene Symbol: MED17)
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Stable at -20°C for at least 1 year.
Expiry Date:	12 months



Western Blotting

Image 1. Western blot analysis of extracts from HT-29 cells, using MED17 Antibody. The lane on the right is treated with the synthesized peptide.