

Datasheet for ABIN1534244 anti-HTR2C antibody (AA 161-210)

Images



_				
()	ve.	rv/	101	Λ

Overview		
Quantity:	100 μL	
Target:	HTR2C	
Binding Specificity:	AA 161-210	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HTR2C antibody is un-conjugated	
Application:	ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)	
Product Details		
Immunogen:	The antiserum was produced against synthesized peptide derived from human 5-HT-2C.	
Isotype:	IgG	
Specificity:	5-HT-2C Antibody detects endogenous levels of total 5-HT-2C protein.	
Purification:	The antibody was purified from rabbit antiserum by affinity-chromatography using immunogen.	
Purity:	> 95 %	
Target Details		
Target:	HTR2C	
Alternative Name:	5-HT-2C (HTR2C Products)	
Background:	Synonyms: 5-hydroxytryptamine receptor 2C, 5-HT-2C, Serotonin receptor 2C, 5-HT2C, 5-	

Target Details


	HTR2C, 5HT-1C, HTR2C, HTR1C NCBI Gene Symbol: HTR2C
Molecular Weight:	51 kDa
Gene ID:	3358
OMIM:	312861
UniProt:	P28335
Pathways:	Inositol Metabolic Process, Regulation of Carbohydrate Metabolic Process, Feeding Behaviour


Application Details

Application Notes:	IHC: 1:50~1:100 IF: 1:100~1:500 ELISA: 1:5000	
Comment:	Unigene-Number: Hs.149037 (NCBI Gene Symbol: HTR2C)	
Restrictions:	For Research Use only	

Handling


Format:	Liquid
Concentration:	1 mg/mL
Buffer:	phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Stable at -20°C for at least 1 year.
Expiry Date:	12 months





Immunohistochemistry

Image 1. Immunohistochemistry analysis of paraffinembedded human brain tissue, using 5-HT-2C Antibody. The picture on the right is treated with the synthesized peptide.



Immunofluorescence

Image 2. Immunofluorescence analysis of A549 cells, using 5-HT-2C Antibody. The picture on the right is treated with the synthesized peptide.