

Datasheet for ABIN1534332  
**anti-CIDEc antibody (AA 189-238)**

## 2 Images

[Go to Product page](#)

## Overview

Quantity:	100 µg
Target:	CIDEc
Binding Specificity:	AA 189-238
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CIDEc antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

## Product Details

Immunogen:	The antiserum was produced against synthesized peptide derived from human CIDEc.
Isotype:	IgG
Specificity:	CIDEc Antibody detects endogenous levels of total CIDEc protein.
Purification:	The antibody was purified from rabbit antiserum by affinity-chromatography using immunogen.
Purity:	> 95 %

## Target Details

Target:	CIDEc
Alternative Name:	CIDEc ( <a href="#">CIDEc Products</a> )
Background:	Synonyms: Cell death activator CIDE-3, Cell death-inducing DFFA-like effector protein C, Fat-

## Target Details


	specific protein FSP27 homolog, FSP27 NCBI Gene Symbol: CIDEA
Molecular Weight:	26 kDa
Gene ID:	63924
UniProt:	<a href="#">Q96AQ7</a>

## Application Details

Application Notes:	IHC: 1:50~1:100 IF: 1:100~1:500 ELISA: 1:1000
Comment:	Unigene-Number: Hs.567562, Hs.635072 (NCBI Gene Symbol: CIDEA)
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Concentration:	1 mg/mL
Buffer:	phosphate buffered saline (without Mg <sup>2+</sup> and Ca <sup>2+</sup> ), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Stable at -20°C for at least 1 year.
Expiry Date:	12 months



### Immunohistochemistry

**Image 1.** Immunohistochemistry analysis of paraffin-embedded human colon carcinoma tissue, using CIDECA Antibody. The picture on the right is treated with the synthesized peptide.



### Immunofluorescence

**Image 2.** Immunofluorescence analysis of HeLa cells, using CIDECA Antibody. The picture on the right is treated with the synthesized peptide.