

Datasheet for ABIN1535343
anti-RIOK3 antibody (AA 271-320)



[Go to Product page](#)

1 Image

Overview

| | |
|----------------------|--------------------------------------|
| Quantity: | 100 µL |
| Target: | RIOK3 |
| Binding Specificity: | AA 271-320 |
| Reactivity: | Human, Mouse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This RIOK3 antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA |

Product Details

| | |
|---------------|---|
| Immunogen: | The antiserum was produced against synthesized peptide derived from human RIOK3. |
| Isotype: | IgG |
| Specificity: | RIOK3 Antibody detects endogenous levels of total RIOK3 protein. |
| Purification: | The antibody was purified from rabbit antiserum by affinity-chromatography using immunogen. |
| Purity: | > 95 % |

Target Details

| | |
|-------------------|--|
| Target: | RIOK3 |
| Alternative Name: | RIOK3 (RIOK3 Products) |
| Background: | Synonyms: RIO kinase 3, sudd homolog |

Target Details


| | |
|-------------------|-------------------------|
| | NCBI Gene Symbol: RIOK3 |
| Molecular Weight: | 59 kDa |
| Gene ID: | 8780 |
| OMIM: | 603579 |
| UniProt: | O14730 |

Application Details

| | |
|--------------------|---|
| Application Notes: | WB: 1:500~1:1000 ELISA: 1:40000 |
| Comment: | Unigene-Number: Hs.445511 (NCBI Gene Symbol: RIOK3) |
| Restrictions: | For Research Use only |

Handling

| | |
|--------------------|---|
| Format: | Liquid |
| Concentration: | 1 mg/mL |
| Buffer: | phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Stable at -20°C for at least 1 year. |
| Expiry Date: | 12 months |



Western Blotting

Image 1. Western blot analysis of extracts from HepG2 cells, using RIOK3 Antibody. The lane on the right is treated with the synthesized peptide.